

Product Specification V-Monovette[®] Urine, 6 ml, cap yellow, (LxØ): 100 x 13 mm, 50 piece(s)/bag

Page 1

SARSTEDT



Product description

| Order number Product description | 11.2352.001 V-Monovette [®] Urine, nominal volume: 6 ml, without preparation, vacuum system for closed urine transfer, (LxØ): |
|-------------------------------------|--|
| | 100 x 13 mm, transparent, fill mark, material: PET, |
| | membrane cap, cap yellow, with paper label, sterile, 50 |

piece(s)/bag

Product characteristics

| Type of collection | Vacuum |
|-----------------------|---|
| Type of preparation | without preparation |
| Label/ Print | with paper label |
| Colour of print/label | yellow |
| Graduation | fill mark |
| Сар | membrane cap |
| Closure type | push cap |
| Light protection | no |
| Application | vacuum system for closed urine transfer |
| Base shape | round base |
| Volume of work | 6 ml |

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.



| Page | 2 |
|------|---|
|------|---|

| Recommended centrifugation | 400 x g |
|----------------------------|--------------|
| Centrifugation time | 5 Min |
| Connection | V-Monovette® |

Size

| Sample volume | 6 ml |
|----------------------|--------|
| Diameter | 13 mm |
| Length including cap | 106 mm |
| Length excluding cap | 100 mm |

Material & colours

| Product material | Polyethylene therephthalate (PET) |
|-------------------|-----------------------------------|
| Colour of product | transparent |
| Closure material | High Density Polyethylene (HD-PE) |
| Colour of cap | yellow |
| Membrane material | rubber |
| Tube material | Polyethylene therephthalate (PET) |

Purity & certification

| Product category | In vitrodiagnostic device, CE |
|-------------------|-------------------------------|
| CE certified | CE |
| Purity standard | sterile |
| Sterilisation | Gamma irradiation |
| Safety data sheet | no |
| Batched | yes |
| | |

Packaging

| Minimum order qty. | 500 |
|------------------------|-----------|
| Type of smallest | bag |
| subpackaging | |
| Piece(s) / inner box | 50 |
| Piece (s) / outer case | 500 |
| Piece(s) / pallet | 34000 |
| Depth of case | 428 mm |
| Width of case | 398 mm |
| Height of case | 135 mm |
| Case volume | 0.023 cbm |

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





| Page | 3 |
|------|---|
|------|---|

Weight of product Weight of case EAN of inner box EAN case 0.0072 kg 4.14 kg 4038917245098 4038917245081

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-05-14

This document was prepared by EDP support and is valid without signature.

