

#### **Product Specification** S-Monovette<sup>®</sup> Serum Gel CAT LightPROTECT, 4 ml, cap brown, (LxØ): 75 x 13 mm, with plastic label



### **Product description**

Order number Product description 04.1925.003 S-Monovette<sup>®</sup> Serum Gel CAT LightPROTECT, preparation: Clotting activator/gel, 4 ml, membrane screw cap, cap brown, colour code EU/ISO, (LxØ) without cap: 75 x 13 mm, with plastic label, label/print: transparent/brown, 50 piece(s)/case, sterile

cap

#### **Product characteristics**

Type of collection	venous
Type of preparation	Clotting activator/gel
Colour code	EU/ISO
Label/ Print	with plastic label
Colour of print/label	transparent/brown
Graduation	fill mark
Сар	membrane screw cap
Closure type	screw cap
Recommended centrifugation	2500 x g
Centrifugation temperature	20

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





Page 2

Centrifugation time	
Liquid-tight	
Connection	

10 Min yes membrane screw cap

mm

## Size

Sample volume	4 ml
Diameter	13 mm
Length including cap	91 mm
Length excluding cap	75 mm
Length including cap and	112 mm
plunger	

## Material & colours

Colour of product	white
Closure material	High Density Polyethylene (HD-PE)
Colour of cap	brown
Membrane material	rubber
Tube material	Polypropylene (PP)
Piston material	High Density Polyethylene (HD-PE)
Piston plunger material	Polystyrene (PS)

# **Purity & certification**

Satisfies the requirement Product category CE certified Purity standard Sterilisation Batched

IATA, ADR In vitrodiagnostic device, CE CE sterile Electron irradiation yes

# Packaging

Minimum order qty.	50
Type of smallest	case
subpackaging	
Piece(s) / inner box	50
Piece (s) / outer case	500
Piece(s) / pallet	39000

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





Depth of box Width of box Height of box Depth of case Width of case Height of case Case volume Weight of product Weight of case EAN of inner box EAN case 171 mm 116 mm 73 mm 388 mm 358 mm 135 mm 0.0188 cbm 0.0054 kg 3.47 kg 4038917528894 4038917528887

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-05-01

This document was prepared by EDP support and is valid without signature.

