

Product Specification CryoPure tubes, 5 ml, QuickSeal screw cap, green

Page 1



Product description

Order number 72.383.005

Product description CryoPure tubes, 5 ml, tube: PP, QuickSeal screw cap, cap

assembled, HD-PE, green, external thread, nominal volume:

4.5 ml, Cryo Performance Tested, 25 piece(s)/bag

Product characteristics

Label/ Print with print
Colour of print/label white
Graduation yes

Cap QuickSeal screw cap

Closure type screw cap
Internally or externally external thread

threaded cap

Volume of work 4,5 ml Vessel type Tube

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





Product Specification CryoPure tubes, 5 ml, QuickSeal screw cap, green

Page 2

Size

Sample volume 4.5 ml Max. volume 5 ml

Diameter 12.65 mm
Length of product 90.7 mm
Length excluding cap 83.8 mm

Material & colours

Closure material High Density Polyethylene (HD-PE)

Colour of cap green

Tube material Polypropylene (PP)

Purity & certification

Product category In vitrodiagnostic device, CE

CE certified CE

Purity standard Cryo Performance Tested

Sterilisation Electron irradiation

Pyrogen-free yes Non-cytotoxic yes Batched yes

Packaging

Minimum order qty. 250 Type of smallest bag

subpackaging

Piece(s) / inner box 250 Piece (s) / outer case 1000 52000 Piece(s) / pallet Depth of box 293 mm Width of box 183 mm Height of box 118 mm 598 mm Depth of case Width of case 378 mm Height of case 135 mm Case volume 0.0305 cbm Weight of product 0.0038 kgWeight of case 5.05 kg

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





Product Specification CryoPure tubes, 5 ml, QuickSeal screw cap, green

Page 3

EAN of inner box EAN case

4038917106139 4038917080682

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

