




Product Specification
PCR plate half skirt, 96 well, transparent,
High-Profile, 200 µl, Low DNA-binding, PCR
Performance Tested, PP



Product description

Order number	72.1979.700
Product description	PCR plate half skirt, 96 well, transparent, High-Profile, 200 µl, Low DNA-binding, PCR Performance Tested, material: PP, 10 piece(s)/bag

Product characteristics

Suitable for qPCR	yes
Base shape	conical
Construction of the plate edges	half skirt
High or low profile	High-Profile
Number of wells	96
Volume of work	10 µl - 200 µl
Centrifugation max (RCF)	3000 x g
Centrifugation temperature	22 °C
Centrifugation time	5 Min

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.





Product Specification
PCR plate half skirt, 96 well, transparent,
High-Profile, 200 µl, Low DNA-binding, PCR
Performance Tested, PP

Page 2

Size

Sample volume	0,2 ml
Max. volume	200 µl
Diameter	4,95 mm
Width of product	86 mm
Height of product	19,33 mm
Length of product	126,1 mm

Material & colours

Product material	Polypropylene (PP)
Colour of product	transparent

Purity & certification

Product category	no medical device IVD
Purity standard	PCR Performance Tested
Sterilisation	Electron irradiation
Batched	yes

Packaging

Minimum order qty.	100
Type of inner packaging	bag
Piece(s) / inner box	50
Piece(s) / case	100
Piece(s) / pallet	5600
Depth of case	282 mm
Width of case	280 mm
Height of case	247 mm
Case volume	0,0195 cbm
Weight of product	0,0167 kg
Weight of case	2,29 kg
EAN of inner box	4038917574631
EAN case	4038917574624

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.

Date of issue:
2021-10-22

This document was prepared by EDP support and is valid without signature.



SARSTEDT