

## Product Specification Blood Gas Monovette<sup>®</sup>, calcium-balanced lithium heparin, 2 ml, cap white/orange, connection: Luer (m)

Page 1



## **Product description**

Order number Product description

05.1147.048

Blood Gas Monovette<sup>®</sup>, preparation: calcium-balanced lithium heparin, nominal volume: 2 ml, cap white/orange, label/print: transparent/orange, connection: Luer (m), (LxØ) without cap: 66 x 11 mm, with Ventilator assembled, 1 piece(s)/blister, sterile, 100 piece(s)/case

## **Product characteristics**

Type of collection Type of preparation Preparation concentration Label/ Print Colour of print/label Graduation Design Application Connection

Arterial and venous calcium-balanced lithium heparin 50 IU/ml blood with plastic label transparent/orange fill mark Ventilator assembled blood gas analysis Luer (m)

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





## Size

| Sample volume<br>Diameter<br>Length including cap<br>Length excluding cap<br>Length including cap and<br>plunger   | 2 ml<br>11 mm<br>82 mm<br>66 mm<br>100 mm   |
|--|---|
| Material & colours   |   |
| Colour of product<br>Closure material<br>Colour of cap<br>Tube material<br>Piston material<br>Piston plunger material  | transparent<br>High Density Polyethylene (HD-PE)<br>white/orange<br>Polypropylene (PP)<br>High Density Polyethylene (HD-PE)<br>Polystyrene (PS) |
| Purity & certification   |   |
| Product category<br>CE certified<br>Purity standard<br>Sterilisation<br>Batched  | In vitrodiagnostic device, CE<br>CE<br>sterile<br>Electron irradiation<br>yes   |
| Packaging  |   |
| Minimum order qty.<br>Type of smallest<br>subpackaging   | 500<br>blister  |
| Piece(s) / inner box<br>Piece (s) / outer case<br>Piece(s) / pallet<br>Depth of box<br>Width of box<br>Height of box<br>Depth of case<br>Width of case<br>Height of case | 100<br>500<br>18000<br>351 mm<br>111 mm<br>171 mm<br>578 mm<br>368 mm<br>195 mm   |
| 5  |   |

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





Page 3

| Case volume       |  |
|-------------------|--|
| Weight of product |  |
| Weight of case    |  |
| EAN of inner box  |  |
| EAN case          |  |

0.0415 cbm 0.0046 kg 3.66 kg 4038917125970 4038917075701

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.

