

Product Specification S-Monovette[®] neutral Z, 9 ml, cap white, (LxØ): 92 x 16 mm, with paper label

Reference of the second	

Product description

•	
Order number	02.1726.001
Product description	S-Monovette [®] neutral Z, without preparation, 9 ml,
	membrane screw cap, cap white, (LxØ) without cap: 92 x 16
	mm, with paper label, label/print: black, 50 piece(s)/case,

sterile

Product characteristics

Type of collection Type of preparation Label/ Print Colour of print/label Graduation Cap Closure type Recommended centrifugation Centrifugation temperature Centrifugation time Liquid-tight	venous without preparation with paper label black fill mark membrane screw cap screw cap 2000 x g 20 10 Min yes
Connection	membrane screw cap

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





Page 2

Size

Sample volume	9 ml
Diameter	16 mm
Length including cap	108 mm
Length excluding cap	92 mm
Length including cap and	129 mm
plunger	
Material & colours	
Colour of product	transparent
Closure material	High Density Polyethylene (HD-PE)
Colour of cap	white
Membrane material	rubber
Tube material	Polypropylene (PP)
Piston material	High Density Polyethylene (HD-PE)
Piston plunger material	Polystyrene (PS)
Purity & certification	
Satisfies the requirement	IATA, ADR
Product category	In vitrodiagnostic device, CE
CE certified	CE
CE certified Purity standard	CE sterile
CE certified Purity standard Sterilisation	CE
CE certified Purity standard	CE sterile
CE certified Purity standard Sterilisation	CE sterile Electron irradiation
CE certified Purity standard Sterilisation Batched	CE sterile Electron irradiation
CE certified Purity standard Sterilisation Batched Packaging	CE sterile Electron irradiation yes
CE certified Purity standard Sterilisation Batched Packaging Minimum order qty.	CE sterile Electron irradiation yes
CE certified Purity standard Sterilisation Batched Packaging Minimum order qty. Type of smallest subpackaging Piece(s) / inner box	CE sterile Electron irradiation yes 500 case 50
CE certified Purity standard Sterilisation Batched Packaging Minimum order qty. Type of smallest subpackaging Piece(s) / inner box Piece (s) / outer case	CE sterile Electron irradiation yes 500 case 50 500
CE certified Purity standard Sterilisation Batched Packaging Minimum order qty. Type of smallest subpackaging Piece(s) / inner box Piece (s) / outer case Piece(s) / pallet	CE sterile Electron irradiation yes 500 case 50 500 24000
CE certified Purity standard Sterilisation Batched Packaging Minimum order qty. Type of smallest subpackaging Piece(s) / inner box Piece (s) / outer case	CE sterile Electron irradiation yes 500 case 50 500

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Height of box

Depth of case

Width of case

88 mm

648 mm

303 mm





Page	3
------	---

Height of case Case volume Weight of product Weight of case EAN of inner box EAN case 150 mm 0.0295 cbm 0.0078 kg 4.84 kg 4038917133203 4038917024723

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-05-10

This document was prepared by EDP support and is valid without signature.

