

Product Specification S-Monovette[®] Serum CAT, 7.5 ml, cap white, (LxØ): 92 x 15 mm, with plastic label

Page 1



Product description

Order number Product description

01.1601

S-Monovette[®] Serum CAT, preparation: clotting activator, 7.5 ml, membrane screw cap, cap white, colour code EU, (LxØ) without cap: 92 x 15 mm, with plastic label, label/print: transparent/white, 50 piece(s)/case, sterile

Product characteristics

Type of collection	venous
Type of preparation	clotting activator
Colour code	EU
Label/ Print	with plastic label
Colour of print/label	transparent/white
Graduation	fill mark
Сар	membrane screw cap
Closure type	screw cap
Recommended centrifugation	2000 x g
Centrifugation temperature	20
Centrifugation time	10 Min
Liquid-tight	yes

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





Product Specification S-Monovette[®] Serum CAT, 7.5 ml, cap white, (LxØ): 92 x 15 mm, with plastic label

Page 2

membrane screw cap

Size

Sample volume	7.5 ml
Diameter	15 mm
Length including cap	108 mm
Length excluding cap	92 mm
Length including cap and	129 mm
plunger	

Material & colours

transparent
High Density Polyethylene (HD-PE)
white
rubber
Polypropylene (PP)
High Density Polyethylene (HD-PE)
Polystyrene (PS)

Purity & certification

Satisfies the requirement	IATA, ADR
Product category	In vitrodiagnostic device, CE
CE certified	CE
Purity standard	sterile
Sterilisation	Electron irradiation
Batched	yes

Packaging

Minimum order qty.	500
Type of smallest	case
subpackaging	
Piece(s) / inner box	50
Piece (s) / outer case	500
Piece(s) / pallet	32000
Depth of box	189 mm
Width of box	134 mm
Height of box	82 mm

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





Product Specification S-Monovette[®] Serum CAT, 7.5 ml, cap white, (LxØ): 92 x 15 mm, with plastic label

Page 3

Depth of case Width of case Height of case Case volume Weight of product Weight of case EAN of inner box EAN case 400 mm 144 mm 440 mm 0.0253 cbm 0.0084 kg 5.02 kg 4038917087193 4038917005661

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-04-20

This document was prepared by EDP support and is valid without signature.

