

# Product Specification CryoPure tubes, 1.2 ml, QuickSeal screw cap, green

Page 1



#### **Product description**

Order number	72.377.005
Product description	CryoPure tubes, 1.2 ml, tube: PP, QuickSeal screw cap, cap
	assembled, HD-PE, green, external thread, nominal volume:

1 ml, Cryo Performance Tested, 50 piece(s)/bag

#### **Product characteristics**

Label/ Print Colour of print/label Graduation Cap Closure type Internally or externally threaded cap Volume of work Vessel type with print white yes QuickSeal screw cap screw cap external thread

1 ml Tube

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





## Size

Sample volume	1 ml
Max. volume	1.2 ml
Diameter	12.65 mm
Length of product	36.7 mm
Length excluding cap	29.8 mm

## Material & colours

Closure material	High Density Polyethylene (HD-PE)
Colour of cap	green
Tube material	Polypropylene (PP)

## **Purity & certification**

Product category	In vitrodiagnostic device, CE
CE certified	CE
Purity standard	Cryo Performance Tested
Sterilisation	Electron irradiation
Pyrogen-free	yes
Non-cytotoxic	yes
Batched	yes

# Packaging

Minimum order qty.	500
Type of smallest	bag
subpackaging	
Piece(s) / inner box	500
Piece (s) / outer case	2000
Piece(s) / pallet	104000
Depth of box	293 mm
Width of box	183 mm
Height of box	118 mm
Depth of case	598 mm
Width of case	378 mm
Height of case	135 mm
Case volume	0.0305 cbm
Weight of product	0.0015 kg
Weight of case	4.26 kg

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





Page 3

EAN of inner box EAN case 4038917106016 4038917080538

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-04-24

This document was prepared by EDP support and is valid without signature.

