

## Product Specification CryoPure tubes, 5 ml, QuickSeal screw cap, violet

Page 1



## **Product description**

Order number 72.383.007 Product description 72.007 CryoPure tubes, 5 ml, tube: PP, QuickSeal screw cap, cap assembled, HD-PE, violet, external thread, nominal volume: 4.5 ml, Cryo Performance Tested, 25 piece(s)/bag

## Product characteristics

Label/ Print Colour of print/label Graduation Cap Closure type Internally or externally threaded cap Volume of work Vessel type with print white yes QuickSeal screw cap screw cap external thread

4,5 ml Tube

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





## Size

| Sample volume<br>Max. volume<br>Diameter<br>Length of product<br>Length excluding cap  | 4.5 ml<br>5 ml<br>12.65 mm<br>90.7 mm<br>83.8 mm  |
|--|---|
| Material & colours   |   |
| Closure material<br>Colour of cap<br>Tube material   | High Density Polyethylene (HD-PE)<br>violet<br>Polypropylene (PP)   |
| Purity & certification   |   |
| Product category<br>CE certified<br>Purity standard<br>Sterilisation<br>Pyrogen-free<br>Non-cytotoxic<br>Batched   | In vitrodiagnostic device, CE<br>CE<br>Cryo Performance Tested<br>Electron irradiation<br>yes<br>yes<br>yes     |
| Packaging  |   |
| Minimum order qty.<br>Type of smallest<br>subpackaging   | 250<br>bag  |
| Piece(s) / inner box   | 250   |
| Piece (s) / outer case<br>Piece(s) / pallet<br>Depth of box<br>Width of box<br>Height of box<br>Depth of case<br>Width of case<br>Height of case<br>Case volume<br>Weight of product<br>Weight of case | 1000<br>52000<br>293 mm<br>183 mm<br>118 mm<br>598 mm<br>378 mm<br>135 mm<br>0.0305 cbm<br>0.0038 kg<br>5.03 kg |
| <b>U</b>   | 0   |

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





EAN of inner box EAN case 4038917106146 4038917080699

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-05-03

This document was prepared by EDP support and is valid without signature.

