




## Product Specification

**Pipeta sorológica, com ponta, com filtro, 5 ml,  
estéreis, isentos de pirogênios/endotoxinas e  
não-citotóxicos, 1 unid./blister**

**Page 1**



### Product description

Order number	86.1253.001
Descrição do artigo	Pipeta sorológica, com ponta, com filtro, 5 ml, cor de codificação: azul, material: PS, estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos, 1 unid./blister

### Product characteristics

Cor impressão/rótulo	azul
Graduação	sim
Versão	com ponta, com filtro
Volume de trabalho	5 ml
Cor de codificação	azul

### Size

Diâmetro	8 mm
Comprimento do produto	340 mm

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:  
2024-05-19

This document was prepared by EDP support and is valid without signature.



**SARSTEDT**



## Product Specification

**Pipeta sorológica, com ponta, com filtro, 5 ml, estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos, 1 unid./blister**

**Page 2**

### Material & colours

Material do produto Poliestireno (PS)  
Cor do produto transparente

### Purity & certification

Categoria do produto Não é um dispositivo médico | DIV  
Padrão de pureza estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos  
Esterilização Radiação gama  
Isenção de pirogênio sim  
Em lotes sim

### Packaging

Quantidade mínima do pedido 500  
Tipo de embalagem interior blister  
Unidades por caixa interna 50  
Unidades por caixa 500  
Unidades por palete 27000  
Profundidade da embalagem 420 mm  
externa  
Largura da embalagem 250 mm  
externa  
Altura da embalagem externa 290 mm  
Volume da embalagem 0.0305 cbm  
externa  
Peso do produto 0.008 kg  
Peso da embalagem externa 4.54 kg  
EAN da caixa interna 4038917127240  
EAN da embalagem externa 4038917021104

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:  
2024-05-19

This document was prepared by EDP support and is valid without signature.



**SARSTEDT**