




Product Specification

**Minivette® POCT Lithium heparin LH, 50 µl,
plunger green, colour code ISO, 200 piece(s)/bag**

Page 1



Product description

Order number	17.2112.150
Product description	Minivette® POCT Lithium heparin LH, nominal volume: 50 µl, preparation: Heparin, green, colour code ISO, 200 piece(s)/bag, 200 piece(s)/case

Product characteristics

Type of collection	capillary
Type of preparation	Heparin
Colour code	ISO
Application	capillary blood collection
Coding colour	green

Size

Sample volume	50 µl
---------------	-------

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.

Date of issue:
2024-03-28

This document was prepared by EDP
support and is valid without signature.



SARSTEDT



Product Specification

**Minivette® POCT Lithium heparin LH, 50 µl,
plunger green, colour code ISO, 200 piece(s)/bag**

Page 2

Material & colours

Product material	Cellulose acetate (CA)
Colour of product	transparent

Purity & certification

Product category	In vitrodiagnostic device, CE
CE certified	CE
Latex-free	yes
Batched	yes

Packaging

Minimum order qty.	2000
Type of smallest subpackaging	bag
Piece(s) / inner box	200
Piece (s) / outer case	2000
Piece(s) / pallet	144000
Depth of box	140 mm
Width of box	99 mm
Height of box	117 mm
Depth of case	513 mm
Width of case	293 mm
Height of case	140 mm
Case volume	0.021 cbm
Weight of product	0.001 kg
Weight of case	2.68 kg
EAN of inner box	4038917320023
EAN case	4038917320016

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.

Date of issue:
2024-03-28

This document was prepared by EDP support and is valid without signature.



SARSTEDT