

Product Specification S-Monovette[®] Serum CAT, 4 ml, cap white, (LxØ): 75 x 13 mm, with plastic label

Product description

Order number
Product description

04.1924

S-Monovette[®] Serum CAT, preparation: Clotting activator, 4 ml, membrane screw cap, cap white, colour code EU, $(Lx\emptyset)$ without cap: 75 x 13 mm, with plastic label, label/print: transparent/white, 50 piece(s)/case, sterile

Product characteristics

Type of collection	venous
Type of preparation	Clotting activator
Colour code	EU
Label/ Print	with plastic label
Colour of print/label	transparent/white
Graduation	fill mark
Сар	membrane screw cap
Closure type	screw cap
Recommended centrifugation	2000 x g
Centrifugation temperature	20
Centrifugation time	10 Min
Liquid-tight	yes

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





Page 2

Connection

membrane screw cap

Size

Sample volume	4 ml
Diameter	13 mm
Length including cap	91 mm
Length excluding cap	75 mm
Length including cap and	112 mm
plunger	

Material & colours

Colour of product	transparent
Closure material	High Density Polyethylene (HD-PE)
Colour of cap	white
Membrane material	rubber
Tube material	Polypropylene (PP)
Piston material	High Density Polyethylene (HD-PE)
Piston plunger material	Polystyrene (PS)

Purity & certification

Packaging

Minimum order qty.	500
Type of smallest	case
subpackaging	
Piece(s) / inner box	50
Piece (s) / outer case	500
Piece(s) / pallet	39000
Depth of box	171 mm
Width of box	116 mm
Height of box	73 mm

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





Page	3
------	---

Depth of case Width of case Height of case Case volume Weight of product Weight of case EAN of inner box EAN case 388 mm 358 mm 135 mm 0.0188 cbm 0.005 kg 3.24 kg 4038917247627 4038917247610

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-05-18

This document was prepared by EDP support and is valid without signature.

