


Product Specification CryoPure tubes, 2 ml, QuickSeal screw cap, yellow



Product description

Order number	72.380.004
Product description	CryoPure tubes, 2 ml, tube: PP, QuickSeal screw cap, cap
	assembled, PP, yellow, Internal thread, with silicon O-ring,
	nominal volume: 1.6 ml, Cryo Performance Tested, 50

Product characteristics

Label/ Print
Colour of print/label
Graduation
Сар
Closure type
Internally or externally
threaded cap
Design
Volume of work
Vessel type

with print white yes QuickSeal screw cap screw cap Internal thread with silicon O-ring 1,6 ml Tube

piece(s)/bag

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





Page 2

Size

1.6 ml
2 ml
12.65 mm
47.7 mm
37.8 mm

Material & colours

Closure material	Polypropylene (PP)
Colour of cap	yellow
O-ring material	silicone
Tube material	Polypropylene (PP)

Purity & certification

Product category	In vitrodiagnostic device, CE
CE certified	CE
Purity standard	Cryo Performance Tested
Sterilisation	Electron irradiation
Pyrogen-free	yes
Non-cytotoxic	yes
Batched	yes

Packaging

Minimum order qty.	500
Type of smallest	bag
subpackaging	
Piece(s) / inner box	500
Piece (s) / outer case	2000
Piece(s) / pallet	104000
Depth of box	293 mm
Width of box	183 mm
Height of box	118 mm
Depth of case	598 mm
Width of case	378 mm
Height of case	135 mm
Case volume	0.0305 cbm
Weight of product	0.0019 kg

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





Page 3

Weight of case EAN of inner box EAN case

4.96 kg 4038917106085 4038917080620

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-05-01

This document was prepared by EDP support and is valid without signature.

