

Product Specification CryoPure tubes, 2 ml, QuickSeal screw cap, violet

Page 1



Product description

Order number Product description 72.380.007

CryoPure tubes, 2 ml, tube: PP, QuickSeal screw cap, cap assembled, PP, violet, Internal thread, with silicon O-ring, nominal volume: 1.6 ml, Cryo Performance Tested, 50 piece(s)/bag

Product characteristics

Label/ Print Colour of print/label Graduation Cap Closure type Internally or externally threaded cap Design Volume of work Vessel type with print white yes QuickSeal screw cap screw cap Internal thread with silicon O-ring 1,6 ml Tube

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature.





Size

Sample volume	1.6 ml
Max. volume	2 ml
Diameter	12.65 mm
Length of product	47.7 mm
Length excluding cap	37.8 mm

Material & colours

Closure material	
Colour of cap	
O-ring material	
Tube material	

Polypropylene (PP) violet silicone Polypropylene (PP)

Purity & certification

Product category	In vitrodiagnostic device, CE
CE certified	CE
Purity standard	Cryo Performance Tested
Sterilisation	Electron irradiation
Pyrogen-free	yes
Non-cytotoxic	yes
Batched	yes

Packaging

Minimum order qty.	500
Type of smallest	bag
subpackaging	
Piece(s) / inner box	500
Piece (s) / outer case	2000
Piece(s) / pallet	104000
Depth of box	293 mm
Width of box	183 mm
Height of box	118 mm
Depth of case	598 mm
Width of case	378 mm
Height of case	135 mm
Case volume	0.0305 cbm
Weight of product	0.0019 kg

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.





Page 3

Weight of case EAN of inner box EAN case 4.99 kg 4038917106108 4038917080644

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue: 2024-04-20

This document was prepared by EDP support and is valid without signature.

